



Desjoyaux
POOLS



Desjoyaux's story



The Desjoyaux group would like to thank you for taking interest in its technology and would like to provide you a brief history of the company.

Jean Desjoyaux, originally from the building trade, decided to build a private swimming pool for his children in 1966. At the time there was no market for swimming pools and he had to virtually design everything, structure, filtration, finishing, treatment etc...

Once he had built his first pool, several of his friends also wanted to fulfill their dream by building a swimming pool in their garden. This is what promoted Mr. Jean Desjoyaux, in 1968, to set up a company dedicated to building swimming pools.

Between 1968 and 1974, the Desjoyaux company built hundreds of pools in reinforced concrete with tiling, sand filter, diatomite, cartridge or electro-physical filtration with or without a peripheral overflow system... However, the most difficult in constructing the swimming pool is the construction time and how to prevent the reinforced concrete from cracking. These have led Mr. Jean Desjoyaux to try out new techniques for pool structures. In 1974, having tested different structures in gunite, wood, polyethylene, aluminium, polyester etc... he invented the "Desco casing" panel. Thanks to permanent quality control provided by the inspection company "bureau VERITAS", this casing allows for all pool dimensions to be installed in record construction time and offer a 10 year guarantee. This structure allows for the concrete to be poured in one time, it gives a monolithic concrete structure to the pool and eliminates the risk of cracking. The lengthy construction time and problems had been solved. There still remained the problems inherent in the filtration parts built into the wall and the hundreds of meters of underground pipe work which after one or several years caused numerous leaks that were very difficult to locate and practically impossible to repair. To avoid all these problems, an alternative to the built-in part and pipes had to be found. The reasoning was simple and made complete sense. Introduction of filtration block. Take the filtration and place it directly on to the walls of the swimming pool. No more pipes, skimmers, discharge pipes or spotlights sealed in the walls...

NO MORE LEAKS! That was in 1984.

Since then and thanks to the two basic techniques used (Desco structure and Filtration block) Desjoyaux group had made ground-breaking process in the history of swimming pools. Desjoyaux group was listed in the Paris Stock Market in 1992, has a presence in more than 80 countries worldwide represented by sole distributors with a total of over 500 showrooms. The group is now the world leader, having built more than 250 000 pools until today. He has achieved this success not by luck but by listening to his clients's sincere advice.

BEFORE MAKING A DECISION, remember that a swimming pool is a lifetime investment.

You should invest in:

1. a professional advisor 2. a straightforward, reliable, tried and tested product 3. a local shop that provides ongoing after sales services. Thanks to the reinforced PVC coating, a technique that allows for upgradings so you can "revamp" your pool, if the need arises. Thanks to Desjoyaux "removable" filtration system, you will also be able to equip your pool with the latest filtration models in the future.

To ensure your dream does not turn into a nightmare, your pool should:

1. be built quickly (around 10 days) 2. be able to upgrade 3. have a quality aftersale service that only an exclusive international network can provide 4. offer fun, sport and relaxation through hydrotherapy and cross current swimming systems 5. beneficy of a real 10 year warranty.

BEWARE OF THE EVENTUAL COPIES !!!

Remember that your satisfaction is our first aim because we know that, as a satisfied customer, you will act as our best ambassador to recommend our product to your friends. We wish your swimming pool investment will bring you a happy and healthy life.

We are not No. 1 by chance.

First Desjoyaux Pool



SINCE 1966

A FAMILY STORY

2nd generation



next generations



3rd generation

Jean Desjoyaux
Founder

Desjoyaux
POOLS






The biggest swimming pool factory in the world 50000 m2

Desjoyaux creates, designs, produces and installs 100% of your swimming pool.

Injection process



No.1 WORLDWIDE EXCLUSIVE NETWORK





ALBANIA
ALGERIA
AUSTRALIA
AZERBAIDJAN
BELGIUM
BENIN
BRAZIL
BRUNEI
BULGARIA
CAMBODIA
CAMEROUN
CANADA
CHINA
CYPRUS
CROATIA
CUBA
CZECH REPUBLIC
EGYPT
ENGLAND
ESTONIA
EMIRATES
FRANCE
GABON
GERMANY
GHANA
GREECE
GUADELOUPE
GUYANE
HUNGARY
INDIA
INDONESIA
IRAK
ITALY
JAPAN
JORDANIA
KAZAKHSTAN

KOSOVO
KUWAIT
LAOS
LATVIA
LEBANON
LITUANIA
MALAYSIA
MOROCCO
MEXICO
MYANMAR
NEW CALEDONIA
OMAN
UZBEKISTAN
NETHERLANDS
POLAND
PORTUGAL
QATAR
REUNION
ROMANIA
RUSSIA
SAUDI ARABIA
SERBIA
SINGAPORE
SLOVAKIA
SPAIN
SUDAN
SWITZERLAND
SYRIA
TAHITI
TAIWAN
THAILAND
TUNISIA
TURKEY
UKRAINE
U.S.A.
VIETNAM
YEMEN

Every hour, somewhere in the world,
a Desjoyaux swimming pool is born.

The combination of two exclusive Desjoyaux concepts



One week construction



The active permanent casing

- . Invented, patented in 1974 and produced exclusively by Desjoyaux
- . Rot-proof and environmentally friendly (recycled material)
- . Sturdy polypropylene combined with concrete
- . Free standing structure
- . Resistant to frost and land movements
- . Installation certified by Bureau Veritas
- . Can be assembled in any shape and size
- . Manufacture and installation guaranteed for 10 years

The filtration unit

- . Invented, patented in 1983 and produced exclusively by Desjoyaux
- . Easy upkeep and maintenance
- . Available as a surface-mounted unit, integrated unit or staircase unit
- . Pipeless
- . Quick to install
- . No risk of leakage
- . Filtration from 6 to 30 microns
- . Evolutionary system
- . Mobile



Real 10 year guarantee



GR.i 110



GR.i 251



GR.i 181



PF.i 180



Jet'Set

CONSTRUCTION STEPS

10 days construction ... for decades of happiness




Thanks to our filtration system,
the water level is just under the coping stone
- aesthetically perfect.
- no more heavy water line cleaning.

YOU HAVE DREAMT OF MAKING A SWIMMING POOL
 THIS "DREAM" WILL BECOME "TRUE" THE FOLLOWING POINTS WILL HELP YOU IN A WAY THAT THIS "REALITY" NEVER TURNS INTO A "NIGHTMARE"


BEFORE MAKING A DECISION, PLEASE ENSURE THAT !



SELF SUPPORTING STRUCTURE




1- THE STRUCTURE of your swimming pool is sufficiently solid and "heavy" in order to resist the backfilling and underground waters in case of drainage .




4- THE DEPTH is progressive in order to ensure safety for bathers , beginners , children , aged people etc...

5- THE ACCESS to your pool constitutes of "anti-slippery" steps and sufficiently broad in order to be used as a relaxing bench.




8- THE TERRACE are carried out on a true reinforced concrete slab and that this ensures a resumption of reinforcement with the wall of the pool in order to avoid a relative settlement of the compression of the backfill during the rainy seasons .




2- THE SHAPE of your pool is adapted to its environment and is "engaged" to your property .

RIGHT SIDE VIEW



3- THE FINISHING ensures a completion and waterproofing guarantee even in the event of the cracking of the structure.



6- THE POSSIBLE BURIED PIPINGS are made out of PVC or polyethylene of high pressure and are installed in the bottom of all trenched earthworks . Because, with the least movement of the pool the piping breaks . If there is no underground piping , you avoid these problems.

7- If THE STRUCTURE represents the "SKELETON" of the pool and the finishing the "SKIN" of the pool . the filtration is the "HEART" (pump) and the "KIDNEYS" (filtering elements) .

- The filter part must be of easy access and filter the finest possible in order to ensure clear water and economize on treatment products .

-THE PUMP (as the heart) must consume the least possible while ensuring a maximum capacity . More the water passes by the filter , less one uses the products .

TECHNICAL DATA

ENVIRONMENT FRIENDLY

In addition to the fact that our filtration benefits of a low consumption as well as a silent pump, investing in a Desjoux swimming pool makes you participate in "Saving" our planet . "Earth", indeed, the structure PAC F03100000 of our pools is 100% manufactured from recycled plastic materials .

1 OLYMPIA pool structure represents about 30.000 plastic bags which will never pollute again .

100
PEHD

LAST POINT: for you and your neighbor's comfort , ensure that your filtration will not be NOISY ...

FITNESS



MUCH MORE
THAN
JUST A POOL !!!



- . cross-current swimming
- . head and shoulders massages
- . anti-cellulite massages
- . reflexology

...


Desjoyaux pools concept
a torrent of Health,
Freshness and Happiness

HYDROTHERAPY






From 6m²



ANY SHAPE ...



Roof Top



ANY SIZE ...



To 120000m2
or more...










Desjoyaux
P O O L S



Floating pools



DESJOYAUX IN ASIA



Thanks to hundreds of thousands of customers who have put trust in us during nearly half a century of investment in industrial tools, research and innovations, we are today the worldwide leader .
This way has been the right one and we will continue .

DESJOYAUX's surroundings and deckings

INTERNATIONAL STANDARDS OF SPECIFICATIONS

QUARRY TILE RANGE FLOOR & PAVING TILE



TECHNICAL SPECIFICATIONS (range average)

Specification Property	Standard for Test Method	International Standard for Specifications ISO 13006:1998(E) Group AII ₂ Part 1 Precision	Results
Deviation in Length and Width	ISO 10545-2	±1% (max)	Pass
Deviation in Thickness	ISO 10545-2	±10% (max)	Pass
Straightness of Sides	ISO 10545-2	±0.5% (max)	Pass
Rectangularity	ISO 10545-2	±1% (max)	Pass
Surface Flatness - Curvature	ISO 10545-2	±0.5% (max)	Pass
Surface Flatness - Warpage	ISO 10545-2	±0.8% (max)	Pass
Surface Quality	ISO 10545-2	95% conform (min)	Pass
Water Absorption	ISO 10545-3	≤6%	Pass
Modulus of Rupture	ISO 10545-4	20 N/mm ² (min)	Pass
Breaking Strength	ISO 10545-4	950 N (min)	Pass
Resistance to Deep Abrasion	ISO 10545-6	393 mm ³ (max)	Pass
Linear Thermal Expansion	ISO 10545-8	10 x 10 ⁻⁶ (max)	Pass
Resistance to Thermal Shock	ISO 10545-9	10 cycles - no visible effect	Pass
Frost Resistance	ISO 10545-12	100 cycles - no damage	Pass
Chemical Resistance	ISO 10545-13	17 day immersion - no visible effect	Pass
Slip Resistance	SS 485-2001	R11	Pass
Resistance to Salt Attack	AS1226.10	40 cycles - <0.4g loss	Pass
Scratch Hardness - MOHS	BS 6431 Part 13	6 MOHS (min)	Pass

Monte-Carlo

Nostalgie

Champagne



PVC COLORS SELECTION



WHITE



SAND



LIGHT BLUE



DARK BLUE



ROYAL BLUE



GREY



CARIBBEAN



PERSONALISATION

Before



POOL RENOVATION

The reinforced PVC technology allows to renovate any existing pool having problems of leakage due to cracks of concrete or filtration piping. This lining is welded on site and carry a 10 year warranty on waterproofing...

... DONE IN LESS THAN 3 DAYS !

During



After



La
boutique
Desjoyaux
FRANCE




Desjoyaux is also a whole range of exclusive products. Kid games, inflatables, poolside deco, accessories, maintenance products, etc...



Remote controlled underwater LED lights

Jean Desjoyaux

Pool implantation



First PVC installation in China - 1992



Mr and Mrs Desjoyaux - Marseille 1975



Shang Hai - 1993



Mr Desjoyaux swimming with his family in his first pool - 1966



Laos - 2011

JUST FOR FUN!



Heli-Pool



Invest in a pool...
... better than a car



France 1983 / -26 °C / 36 cm of ice



Massages ???

DO NOT DIVE INTO



Desjoyaux
P O O L S

DESJOYAUX is the family name of the manufacturer ...

THE UNKNOWN!



... that is your best warranty!

Desjoyaux

P O O L S

THE 3 MAIN CRITERIA BEFORE TAKING A DECISION ARE:

- 1. THE "RIGHT" PRODUCT**
- 2. THE "RIGHT" BUDGET**

AND ABOVE ALL ...

- 3. THE "RIGHT" PERSON !**

**THE PERSON REPRESENTING THE COMPANY IS AS
IMPORTANT AS THE COMPANY ITSELF.
YOU MUST BE ABLE TO TRUST HER OR HIM !!!**

www.desjoyauxasia.com

Desjoyaux
S.A.S.

Piscines Desjoyaux (M) Sdn. Bhd. (596517K)
No. 38, Jalan Selangor, Seks. 6, 46000 Presang Jaya, Selangor Darul Ehsan

Tel: 603-7958 8911 Fax: 603-7957 8922

Hotline: 017- 408 1110

Email: dive@desjoyaux.com.my

Website: www.desjoyaux.com.my